

## Allure Standard And Optional Features

Select the Allure that best expresses your personality - with four models to choose from. All feature QuietTuning™ and a host of premium amenities - including OnStar® with one year of the Directions & Connections Plan and Turn-by-Turn Navigation.

**Exterior** **Interior** **Mechanical** **Safety & Security** **Seats** **Entertainment** **Specifications** **See All**  
**S = Standard**    **O = Optional**    **- = Not Available**

<b>Exterior</b>	<b>CX</b>	<b>CXL</b>	<b>CXS</b>	<b>Super</b>
Fog lights	-	-	S	S
Glass – Solar-Ray, tinted	S	S	S	S
Grille – Chrome	S	S	S	S
Mirrors – power remote control, body-colour	S	S	S	-
Mirrors – power remote control, body-colour, heated (included with available Gold and Platinum Package)	-	O	O	S
Mouldings – bodyside, body-colour	S	S	S	S
Mouldings – unique rocker	-	-	-	S
Spoiler – rear, deck-lid	-	-	-	S
Sunroof – power, sliding glass panel with express-open feature (includes LH and RH padded with sliding extendable sunshades and illuminated vanity mirrors on CX)	O	O	O	O
Tires – P225/60R16 all-season	S	S	-	-
Tires – P225/55R17 all-season touring	-	-	S	-
Tires – P235/50R18 all-season	-	-	-	S
Wheels – 16" x 6.5" steel with deluxe wheel covers	S	-	-	-
Wheels – 16" x 6.5" aluminum	O	S	-	-
Wheels – 16" x 6.5" Chrome Tech 8-spoke aluminum	O	-	-	-
Wheels – 17" x 6.5" Chrome Tech 10-spoke aluminum (includes P225/55R17 all-season touring tires)	-	O	-	-
Wheels – 17" x 6.5" chrome 12-spoke flangeless aluminum	-	-	O	-
Wheels – 17" x 6.5" painted multi-spoke flangeless aluminum	-	-	S	-
Wheels – 18" x 7" painted aluminum	-	-	-	S
Wheels – 18" x 7" chrome aluminum	-	-	-	O
Windshield wipers – 2-speed with variable delay (intermittent)	S	S	S	S
Chrome Package – includes front and rear fascia and bodyside moulding chrome inserts	S	S	S	S
CXL Luxury Package – includes 17" x 6.5" Chrome Tech 10-spoke aluminum wheels, P225/55R17 all-season touring tires, leather-appointed seating areas (available in 5- or 6-passenger configuration), split-folding rear seatbacks, rear centre armrest with dual cupholders, leather-wrapped steering wheel with sound system controls, tilt and telescopic adjustable steering column and power 6-way passenger-seat adjuster	-	O	-	-
<b>Interior</b>	<b>CX</b>	<b>CXL</b>	<b>CXS</b>	<b>Super</b>
Air conditioning – manual	S	-	-	-
Air conditioning – automatic, dual-zone (included with available Silver Package)	O	S	S	S
Air filtration system – pollen filter	S	S	S	S
Cargo convenience net (included with available Silver Package)	O	S	S	S
Console – front floor with dual cupholders and storage	S	S	S	S
Cruise control – electronic, steering wheel-mounted with resume, coast and decelerate/accelerate features	S	S	S	S
Floor mats – front and rear, carpeted	S	S	S	S
Floor mats – front embroidered with Buick Tri-Shield	-	-	-	S
Heater ducts – rear-seat, floor	S	S	S	S
Instrumentation – analogue cluster (includes speedometer, tachometer, coolant temperature and fuel gauges – low washer fluid level indicator and GM Oil Life Monitoring System)	S	S	S	S

Instrumentation – Driver Information Centre, reconfigurable, 5-button with language selection; includes fuel data centre and Personalization features (included with available Silver Package)	O	S	S	S
Instrumentation – tire pressure monitoring system	S	S	S	S
Interior appearance trim – includes simulated warm chestnut accents on instrument panel, centre console, transmission shifter knob, front and rear door trim panels and silver climate control and sound system trim plate	–	–	–	S
Lights – courtesy with delayed entry/exit, theatre dimming, front map lights, front footwell, glovebox and trunk (includes rear passenger reading lights on Super)	S	S	S	S
Mirror – rear-view with dual reading lights	S	S	S	S
Mirror – with electrochromic auto-dimming feature (included with available Gold and Platinum Package)	–	O	O	S
Retained accessory power	S	S	S	S
Steering column – tilt adjustable	S	S	–	–
Steering column – tilt and telescopic adjustable (included with available Silver Package; included with available leather-wrapped steering wheel on CXL)	O	O	S	S
Steering wheel – leather-wrapped with sound system controls (included with available Silver Package; includes tilt and telescopic adjustable steering column and steering wheel sound system controls on CXL; included with CXL Luxury Package)	O	O	S	S
Sunshades – LH and RH padded; sliding extendable, with vanity mirrors	S	–	–	–
Sunshades – LH and RH padded; sliding extendable, with illuminated vanity mirrors (included with available Silver Package)	O	S	S	S
Trunk – release, power remote	S	S	S	S
Universal home remote – 3-channel transmitter (included with available Gold and Platinum Package)	–	O	O	S
Windows – power, driver's express-down and passenger window lock-out features	S	S	S	S
Silver Package – includes dual-zone automatic air conditioning, leather-wrapped steering wheel with sound system controls, tilt and telescopic adjustable steering column, Driver Information Centre, LH and RH padded with sliding extendable sunshades and illuminated vanity mirrors, content theft alarm and cargo convenience net	O	–	–	–
Gold Package – includes universal home remote 3-channel transmitter, interior electrochromic auto-dimming rear-view mirror, rear passenger reading lights, heated exterior rear-view mirrors and ultrasonic rear parking assist	–	O	–	–
Platinum Package – includes Gold Package and 17" x 6.5" chrome 12-spoke flangeless aluminum wheels	–	–	O	–
<b>Mechanical</b>	<b>CX</b>	<b>CXL</b>	<b>CXS</b>	<b>Super</b>
Battery – with run-down protection	S	S	S	S
Brakes – power, 4-wheel disc	S	S	S	S
Brakes – power, larger diameter front and rear discs	–	–	–	S
Brakes – 4-wheel anti-lock braking system (ABS)	S	S	S	S
Drive – front-wheel	S	S	S	S
Engine – 3.8L 3800 Series III V6 with SFI	S	S	–	–
Engine – 3.6L DOHC V6 VVT with SFI	–	–	S	–
Engine – 5.3L V8 with SFI and Active Fuel Management	–	–	–	S
Engine – block heater	S	S	O	S
Exhaust system – aluminized stainless steel	S	S	S	S
Exhaust system – with dual outlets	–	–	S	–
Exhaust system – with dual outlets and 3.5" chrome tips	–	–	–	S
StabiliTrak – electronic stability control system	–	O	S	S
Steering – power, rack-and-pinion	S	S	–	–
Steering – power, Magnasteer magnetic speed-sensitive variable-assist, rack-and-pinion	–	–	S	S
Suspension – 4-wheel independent, Premium Ride	S	S	–	–
Suspension – 4-wheel independent, Gran Touring	–	–	S	–
Suspension – 4-wheel independent, Special Ride and Handling with Bilstein monotube performance struts	–	–	–	S

Transmission – 4-speed automatic with overdrive	S	S	S	–
Transmission – heavy-duty 4-speed automatic with overdrive	–	–	–	S
Vehicle starter system – remote (includes Driver Information Centre)	O	S	S	S
<b>Safety &amp; Security</b>	<b>CX</b>	<b>CXL</b>	<b>CXS</b>	<b>Super</b>
Air bags – dual-stage, driver and front-passenger, frontal with Passenger Sensing System	S	S	S	S
Air bags – front-to-rear, side head curtain	S	S	S	S
Brake/transmission shift interlock	S	S	S	S
Door locks – power, programmable with lock-out protection and delayed locking features	S	S	S	S
Door locks – rear doors, child-security	S	S	S	S
Headlights – Daytime Running Lights with automatic light control (includes Twilight Sentinel with delay feature)	S	S	S	S
Keyless entry system – remote, includes perimeter lighting and Panic feature	S	S	S	S
OnStar In-Vehicle Communications and Assistance Service –includes one year of the Directions and Connections Plan with Turn-by-Turn Navigation (Turn-by-Turn availability impacted by some geographic/cellular limitations; advisor-assisted routing available)	S	S	S	S
Safety restraints – LATCH (Lower Anchors and top Tethers for Children), rear seats	S	S	S	S
Theft-deterrent system – audible/visible content theft alarm (included with available Silver Package)	O	S	S	S
Theft-deterrent system – electronic immobilizer	S	S	S	S
Traction assist – Enhanced Traction System (ETS)	S	S	–	–
Traction control – electronic, full-function, engine and brakes	–	–	S	S
Ultrasonic rear parking assist – audible/visible rear obstacle detection (included with available Gold and Platinum Package)	–	O	O	S
Warranty – 4 year / 80,000 km, complete base warranty coverage (Whichever comes first, to correct any defects in materials or workmanship occurring during the warranty period. Regular maintenance is not included. Other restrictions, exclusions and limitations apply. See your dealer for complete details of the GM New Vehicle Limited Warranty.)	S	S	S	S
Warranty – 5 year / 160,000 km, powertrain component warranty with \$0 deductible (Whichever comes first. Conditions and limitations apply. See your dealer for details.)	S	S	S	S
<b>Seats</b>	<b>CX</b>	<b>CXL</b>	<b>CXS</b>	<b>Super</b>
Cloth reclining front bucket seats	S	S	–	–
Reclining front bucket seats with leather-appointed seating (included with CXL Luxury Package)	–	O	S	S
55/45 divided front seat – with cloth trim, includes column shift, flip-and-fold cushion/console with dual cupholders, auxiliary power outlet and storage (6-passenger)	O	O	–	–
55/45 divided front seat with leather-appointed seating includes heated driver and front passenger seats, column shift, flip-and-fold cushion/console with dual cupholders, auxiliary power outlet and storage (6-passenger) (included with CXL Luxury Package)	–	O	–	–
Heated, driver and front-passenger (requires Silver Package; includes leather-wrapped steering wheel on CXL)	O	O	S	S
Power 6-way driver adjuster	S	S	S	S
Power 6-way front-passenger adjuster (included with CXL Luxury Package)	–	O	S	S
Power 2-way driver lumbar adjuster	O	O	S	S
Seatbacks – rear, 60/40 split-folding with dual cupholders	O	O	S	S
<b>Entertainment</b>	<b>CX</b>	<b>CXL</b>	<b>CXS</b>	<b>Super</b>
All Allure sound systems include an electronically tuned AM/FM stereo with seek, scan, speed-compensated volume control, auto tone control, TheftLock, digital clock and includes 6-speaker extended range sound system	S	S	S	S
AM/FM stereo with CD player	S	S	S	–

AM/FM stereo with CD/MP3 playback, includes 9-speaker amplified Concert Sound III System	–	O	O	S
AM/FM stereo with in-dash 6-disc CD changer, includes 9-speaker amplified Concert Sound III System	–	O	O	O
XM Satellite Radio (includes three trial months beyond which service fees apply; available in 10 Canadian provinces and 48 contiguous United States)	O	O	S	S

Engines	3.8L V-6 (L26)	3.6L V-6 VVT (LY7)	5.3L V-8 (LS4)
Application:	std. on CX, CXL	std. on CXS	std. on Allure Super
Type:	3.8L V-6	3.6L V-6 VVT (variable valve timing)	5.3L V-8
Displacement (cc / cu. in.):	3791 / 231	3564 / 217	5328 / 325
Bore & stroke (mm / in.):	96.52 x 86.36 / 3.80 x 3.40	94 x 85.6 / 3.70 x 3.37	96 x 92 / 3.78 x 3.62
Block material:	Cast iron	Sand-cast aluminum with cast-in bore liners	Cast aluminum
Cylinder head material:	Cast iron	Cast aluminum	Cast aluminum
Valvetrain:	Overhead valve, 2 valves per cylinder	Dual overhead camshafts, 4 valves per cylinder, continuously variable timing	Overhead valve, 2 valves per cylinder
Ignition system:	Electronic direct ignition system (DIS) and electronic spark plug control (ESC) and extended life platinum-tipped spark plugs	Electronic - individual coil-on-plug; individual cylinder knock control and extended-life platinum-tipped spark plugs	Coil-near-plug, Iridium electrode tip / iridium core spark plugs, low resistance spark plug wires
Fuel delivery:	Sequential-port fuel injection	Returnless sequential port fuel injection	Active Fuel Management; sequential fuel injection
Compression ratio:	9.4:1	10.2:1	10:1
Horsepower (hp / kW @ rpm):	200 / 149 @ 5200	240 / 179 @ 6000	300 / 224 @ 5600
Torque (lb.-ft. / Nm @ rpm):	230 / 312 @ 4000	225 / 305 @ 2000	323 / 438 @ 4400
Recommended fuel:	Unleaded regular	Unleaded regular	Premium recommended but not required
Maximum engine speed (rpm):	5900	6900	6100
Emissions controls:	Evaporative system, single close-coupled catalytic converter, positive crankcase ventilation, electronic throttle control; exhaust gas recirculation, SAI-supplemental air injection-SULEV, fast response oxygen sensor-SULEV	Evaporative system, single close-coupled catalytic converter, equal-length exhaust, single underfloor catalytic converter, positive crankcase ventilation, intake and exhaust cam phasers, electronic throttle control	Underfloor catalytic converter, Quick Sync 24X ignition, returnless fuel rail, fast-response oxygen sensor
<b>Estimated Fuel Economy</b>			
Mi. / imp.gal. (city / hwy / combined):	24 / 39 / 29	23 / 36 / 27	22 / 35 / 26
L / 100 km (city / hwy / combined):	12.0 / 7.2 / 9.8	12.4 / 7.8 / 10.3	12.9 / 8.1 / 10.8

## Transmissions **Hydra-Matic 4T65**

Type:	Electronically controlled 4-speed automatic with overdrive and torque converter clutch
<b>Gear ratios (:1)</b>	
First:	2.92
Second:	1.56
Third:	1.00
Fourth:	0.70
Reverse:	2.38
Final drive ratio:	CX, CXL: 3.05:1; CXS: 3.69:1; Super: 3.29:1

## Chassis & Suspension

Front:	MacPherson strut coil-over-spring; twin-tube dampers with four-stage valving (CX, CXL, CXS); monotube dampers with gas-charged valving (Super); 30 mm tubular stabilizer bar (CX, CXL); 32 mm tubular stabilizer bar (CXS); 20 mm hollow direct acting stabilizer bar (Super)
Rear:	Independent, tri-link coil-over-strut; twin-tube dampers; dual-rate coil springs (Super); 17-mm tubular direct-acting stabilizer bar (CX, CXL); 19.4-mm tubular direct-acting stabilizer bar (CXS and Super)
Steering type:	low-friction power rack-and-pinion (CX, CXL); power-assisted with Magnasteer I on all CXS models and Magnasteer II on CXS with StabiliTrak; high-precision, low-friction rack-and-pinion Magnasteer II with StabiliTrak (Super)
Steering ratio:	15.3:1 (CX, CXL) 13.3:1 (CXS and Super)
Steering wheel turns, lock-to-lock:	2.39 (CX and CXL) 2.30 (CXS and Super)
Turning circle, curb-to-curb (m / ft.):	12.3 / 40.4 (CX, CXL and CXS) 12.2 / 40.0 (Super)

## Brakes

Type:	4-wheel disc with power assist; vented front, solid rear front: 297 x 32 / 11.7 x 1.26 (CX, CXL and CXS) 323 x 30 / 12.72 x 1.18 (Super)
Rotor diameter x thickness (mm / in.):	rear: 270 x 14 / 10.6 x 0.55 (CX, CXL and CXS) 278 x 11 / 10.94 x 0.43 (Super)

## Wheels & Tires

Wheel size and type:	CX: 16-inch steel wheel with deluxe wheel cover CXL: 16-inch 8-spoke painted aluminum wheels with embossed centre-position tri-shield badge CXS: 17-inch flangeless wheels with 12-spoke design, in painted aluminum; 2-dimensional tri-shield emblem in centre hub position Super: 18-inch painted aluminum (std.); 18-inch aluminum w/ chrome finish (opt.)
Tires:	CX and CXL: P225/60R16 ALS (all-season) CXS: P225/55R17 AL2 (touring) Super: P235/R50R18 ALS (all-season)

## Exterior Dimensions

Wheelbase (mm / in.):	2807 / 110.5
Overall length (mm / in.):	5031 / 198.1 (CX, CXL and CXS and Super)

Overall width (mm / in.):	1853 / 73
Overall height (mm / in.):	1458 / 57.4
Track (mm / in.):	front: 1566 / 61.7; rear: 1561 / 61.5 (CX, CXL and CXS); front: 1566 / 61.7; rear: 1549 / 61 (Super)
Base Curb weight (kg / lb.):	CX: 1585 / 3495 CXL: 1589 / 3502 CXS: 1619 / 3568 Super: 1710 / 3770

### Interior Dimensions

Head room (mm / in.):	front: 1000 / 39.4 rear: 946 / 37.2
Leg room (mm / in.):	front: 1074 / 42.3 rear: 955 / 37.6
Shoulder room (mm / in.):	front: 1453 / 57.2 rear: 1448 / 57
Hip room (mm / in.):	front: 1404 / 55.3 rear: 1387 / 54.6

### Capacities

Seating capacity:	5 / 6 ( 2 or 3 front / 3 rear)
EPA interior volume (L / cu. ft.):	3268 / 115.4
EPA passenger volume (L / cu. ft.):	2815 / 99.4
Cargo volume (L / cu. ft.):	453 / 16 (CX, CXL, CXS) 406 / 14.3 (Super)
Trailer towing maximum (kg / lb.):	454 / 1000 (est. - all models)
Fuel tank (L / imp.gal.):	64 / 14.1

\*MSRP - Manufacturer's Suggested Retail Price. Dealers are free to set individual prices.

OnStar® OnStar services require vehicle electrical system (including battery), wireless service and GPS satellite signals to be available and operating for features to function properly. OnStar acts as a link to existing emergency service providers. Subscription Service Agreement required. OnStar Hands-free Calling requires a Hands-Free Calling enabled vehicle, existing OnStar service contract and prepaid minutes or enrollment in a shared minute plan. Not available in certain markets. Calls may be made to the U.S. and Canada only. OnStar voice recognition system may not work with some voices. Due to the transition of the wireless industry from analogue to digital technology, as of January 1, 2008, OnStar plans to offer service only through equipment that operates on the digital network, which may require the purchase of a system upgrade for eligible vehicles. Call 1-888-4ONSTAR (1-888-466-7827) or visit onstar.ca for OnStar's Terms and Conditions, Privacy Policy and system limitations and details.

© 2006 OnStar Corporation. All rights reserved. OnStar and the OnStar emblem are registered trademarks of OnStar Corporation. The GM emblem is a registered trademark of the GM Corporation.